

Characterizations of a Lorentzian manifold with a semi-symmetric metric connection

By UDAY CHAND DE (Calcutta), KRISHNENDU DE (Burdwan)
and SINEM GÜLER (Istanbul)

Abstract. In this article, we characterize a Lorentzian manifold \mathcal{M} with a semi-symmetric metric connection. At first, we consider a semi-symmetric metric connection whose curvature tensor vanishes and establish that if the associated vector field is a unit time-like torse-forming vector field, then \mathcal{M} becomes a perfect fluid spacetime. Moreover, we prove that if \mathcal{M} admits a semi-symmetric metric connection whose Ricci tensor is symmetric and torsion tensor is recurrent, then \mathcal{M} represents a generalized Robertson–Walker spacetime. Also, we show that if the associated vector field of a semi-symmetric metric connection, whose curvature tensor vanishes, is an f – Ric vector field, then the manifold is a space of constant curvature. Therefore, the spacetime reduces to the Minkowski spacetime whenever the scalar curvature $R = 0$; de Sitter spacetime whenever $R > 0$; anti de Sitter spacetime whenever $R < 0$. Moreover, if the associated vector field is a torqued vector field, then the manifold becomes a perfect fluid spacetime. Finally, we apply this connection to investigate the Ricci solitons.

UDAY CHAND DE
DEPARTMENT OF PURE MATHEMATICS
UNIVERSITY OF CALCUTTA
WEST BENGAL
INDIA

KRISHNENDU DE
DEPARTMENT OF MATHEMATICS
KABI SUKANTA MAHAVIDYALAYA
THE UNIVERSITY OF BURDWAN
P.O.-ANGUS, HOOGHLY
PIN 712221, WEST BENGAL
INDIA

SINEM GÜLER
DEPARTMENT OF INDUSTRIAL ENGINEERING
ISTANBUL SABAHATTIN ZAIM UNIVERSITY
HALKALI, ISTANBUL
TURKEY

Mathematics Subject Classification: 53C05, 53C20, 53C25, 53C40, 53C50.

Key words and phrases: Lorentzian manifolds, semi-symmetric metric connection, perfect fluid spacetimes, generalized Robertson–Walker spacetime, torqued vector field, Ricci soliton.